

TITLE OF THE INVENTION

Portfolio Accounting And Risk Management System

CROSS REFERENCE TO RELATED APPLICATIONS

5 This application claims the benefit under 35 U.S.C. § 119(e) of U.S. Provisional Application No. 60/137,690, filed on June 4, 1999, the disclosure of which is incorporated by reference herein.

10 STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

N/A

BACKGROUND OF THE INVENTION

15 In securities trading, most coverage and advice for the common investor focuses on returns and profits. A fundamental strategy espoused by industry leaders revolves around selecting the best stocks that will provide returns over the long term. Managing risk is important, and a core
20 tactic carried out within the industry. But, for the common investor, according to conventional wisdom, risk management is best handled by diversification and asset allocation. This is based on the maxim that business is cyclical and maintaining a portfolio of diverse investments in quality
25 stocks minimizes risk. In any given cycle, there are high-fliers and as well as laggards. Diversity allows the investor to benefit from this and participate in the financial markets. Despite this, peak performance remains tied to one's ability to pick better securities and
30 increase concentration of the portfolio's exposure to the winners while eliminating losers.

SUMMARY OF THE INVENTION

It remains, however, that no one can predict the future, and securities selection, deciding what and when to buy and sell, is only part of the investment process.

The present invention provides a better approach towards trading and investing for the self-directed investor by taking a more objective approach to managing risk. Rather than attempting to predict the future or gambling on a specific security, financial rewards are obtained by managing the amount of assets placed at risk in any given investment and for a portfolio as a whole. Using this approach, the investor will lose no more than is planned, while at the same time enjoy whatever gains may materialize.

The system also provides users not only with the ability to view risk at the level of an individual trade, but to also do the same within the context of bigger and more flexible portfolios, thereby providing users with a more real world-like situation for risk management.

Once a user has determined what security in which to invest, the user needs tools to help answer how much to buy or sell. This question can be reformulated as how much risk to which the user should be exposed. The present system provides a sizing module to address this question. This module addresses a number of parameters, such as type of security, current equity, current security price, and downside limit concentration.

DESCRIPTION OF THE DRAWINGS

The invention will be more fully understood from the following detailed description taken in conjunction with the accompanying drawings in which:

5 Fig. 1 is a block diagram showing a client computer system and a server computer system communicating over the World Wide Web ("Web") in accordance with an illustrative embodiment of the present invention;

10 Fig. 2 is a block diagram showing a physical deployment as a web farm;

 Fig. 3 is a block diagram showing logic modules;

 Fig. 4 is a diagrammatic representation showing services provided by the present system from a user's level;

15 Fig. 5 is a block diagram showing a logical deployment of the present system;

 Fig. 6 is an exemplary main display screen of the present system;

20 Fig. 7 is a flow chart of initial steps in the present system;

 Fig. 8 is a flow chart of a sizing module of the present system;

 Fig. 9 is an exemplary display screen provided by the sizing module;

25 Fig. 10 is a flow chart of a trading module of the present system;

 Fig. 11 is an exemplary display screen provided by the trading module;

30 Fig. 12 is a flow chart of a tracking module of the present system;

Fig. 13 is an exemplary display screen provided by the tracking module;

Fig. 14 is a flow chart of a protection module of the present system;

5 Fig. 15 is an exemplary display screen provided by the protection module;

Fig. 16 is an exemplary display screen of a risk report;

10 Fig. 17 is an exemplary display screen of a performance report;

Fig. 17A is a flow chart of a performance reporting function of the present system;

Fig. 18 is an exemplary display screen of an option price calculator;

15 Fig. 19 is a flow chart of a trading register function of the present system;

Fig. 20 is an exemplary display screen of a trade register;

20 Fig. 21 is a diagrammatic representation showing administration and maintenance services provided by a system administrator;

Fig. 22 is an exemplary code block for performing risk calculations;

25 Fig. 23 is a further exemplary code block for performing risk calculations;

Fig. 24 is a further exemplary code block for performing risk calculations;

Fig. 25 is an exemplary display screen of a portfolio selection function of the present system;

30 Fig. 26 is an exemplary display screen of a portfolio building function of the present system;

Fig. 27 is an exemplary display screen of data editing functionality of the present system;

Fig. 28 is an exemplary display screen of expired stops; and

5 Fig. 29 is an exemplary display screen of maintenance options of the present system.

DETAILED DESCRIPTION OF THE INVENTION

10 Consistent with an illustrative embodiment of the present invention, Fig. 1 shows a client system 12 and an application server system 14 communicating over the World Wide Web 16 ("Web" or "WWW"). For purposes of illustration, the Web may be defined as those resources and users on the Internet using the Hypertext Transfer protocol (HTTP) to
15 communicate information. Further for purposes of illustration, the client system and the application server system may, for example, consist of personal computers, work stations, Internet appliances, or any other type of hardware platform capable of executing computer software.
20 Accordingly, each of the client system and application server system may include one or more processors, which are communicably coupled to a computer program storage device such as a computer memory, as well as one or more input/output devices. Further for purposes of illustration,
25 the client system includes an Internet browser application program, operable to request data from the application server system responsive to actions preformed by a user of the client system.

30 The application server system 14 includes an application server 18 that functions as a node on which all business services run. Business services are objects that

service the graphical user interface of the present system,
described further below. A web server 20 is provided for
managing web-based client access to the system. Because
data transmitted between the client system and the
5 application server system is often sensitive or
confidential, a firewall 22 outside the web server using an
authentication and encryption mechanism, such as Secure
Socket Layer (SSL), is provided. A database 24 in
communication with the application server is provided for
10 storing data, discussed further below. External facilities,
such as chat, charting, e-mail, obtaining price quotes, and
usage analysis services may be provided on a special
services server 26. A quotes server 28, also referred to
herein as a market data server or data feed server, is
15 provided in communication with the database for obtaining
price quotes from an external market data provider 30. A
firewall 32 is provided outside the quotes server for
security.

Fig. 2 illustrates a preferred embodiment of the
20 hardware deployment of the invention in a web farm
implementation. It will be appreciated that more than one
of each server (two are shown) may be provided to handle,
for example, high volume activity. A director 34 is
providing for load balancing of the web servers. Each web
25 server machine 20a, 20b is connected to an application
server machine 18a, 18b. The application server machines
are each connected to a separate special services server
machine 26 that hosts the specialized services. The
application server machines are also each connected to a
30 database server machine 25. Connection to external service
providers, such as an external market data server 30, is

provided in a suitably secure manner, such as through a special T1 link or frame relay, possibly using an extranet or virtual private network and data feed server 28.

Any web server can be used for hosting a user-
5 interface site for the system. The Apache web server is a robust server that performs well and is generally suitable. Other alternatives include Windows NT as the operating system and/or Microsoft IIS as the web server. The application server should provide pre-built frameworks and
10 components that can be reused. In-built support for standards based Enterprise Java Beans and performance of processing the business logic is preferred. Also, dynamic replication and proper sharing of the load from simultaneous users hitting the site are desirable. Application servers from BEASYS, such as Weblogic, and
15 UNIFY, such as e-Wave, are typically used in e-commerce and e-business spaces and are suitable. Any suitable web server and application hardware can be used. Preferably, a dual processor Pentium III with at least 512 MB of RAM and preferably 1 GB of RAM is used. The database used by the
20 system is not critical. DB2 from IBM and Oracle 8I from Oracle are suitable. Others include Informix and SQL server. The database server may reside separately from the web server and the application server.

25 The system can be implemented in any programming language, and any operating system can be used as the platform for development of the user-interface site. Typically, financial institutions employ Java or CGI on Unix-variant platforms, such as Linux, Sun Solaris, or IBM
30 AIX. Java is particularly suitable as it performs substantially independently of the operating system.

Referring more specifically to Fig. 3, the application program provides a number of logic modules or packages that, in the preferred web-based implementation, reside on the application server and are accessible by the user residing at the client computer system. It will be appreciated that the various modules are capable of interacting with each other, although for clarity this interaction is not indicated on Fig. 3. The content of the logic modules is discussed further below. From the user's perspective, the user is provided with a variety of services (Fig. 4) that correspond generally to the logic modules.

Fig. 5 illustrates a preferred embodiment of a logical deployment of the system architecture using the J2EE architectural standard. The client 12 accesses the system through the web server 20. The web server redirects the client's requests to appropriate servlets/Java Server Pages 36a, 36b, 36c, . . . 36n, in the application server 18. The servlets/JSPs process the request and fetch required data if needed from the data base server 25 with the help of Enterprise Java bean objects 38a, 38b, 38c, . . . , 38n. The results of the request retrace the request path. It will be appreciated that other architectures may be provided.

Referring again to Fig. 3, a new user initially registers, using a register module 40. Within this module, the system collects a user ID, password (with "confirm password" input), and email address from the user. The user chooses a user ID, and the system checks for uniqueness of the user ID and presents alternatives in case of ambiguities. The email address is used for communications,

such as password reminders, alerts, alarms, and messages, responses to queries, and regular service updates. A login module 42 is used for subsequent logins so that the user may gain access to the complete system. The login module provides the user with the option to save the user ID and password for auto login purposes. The option of allowing a non-registered user limited access to browse as a guest may also be provided.

In a personalization module 44, the user may optionally specify preferences for ease of use. These preferences may include the currency in which the user sees his overall positions, the country of major holdings, the user's sophistication level, typically either average or high, a help language, and a preferred risk-bearing capacity. The system provides defaults, such as to the US dollar for the currency, the United States as the country of major holdings, and English as the help language. In the presently preferred embodiment, the preferred risk-bearing capacity may range from 0.25% to 5.00%, with a default value of 2.5%. It will be appreciated that other ranges and defaults may be provided. The user also may request to receive price quotes through a quotes module 46 and may request to receive various forms of reports through a reports module 48.

An account manager module 50 is provided for managing the portfolios and accounts of the clients. As used herein, an account is defined as a collection of securities and a portfolio is defined as a combination of two or more accounts. Portfolios do not directly hold cash or other securities. After a user logs in, the account manager module provides a main screen (Fig. 6) with various options

for the user. The presently preferred options are listed as "Size-It," "Trade-It," "Track-It," "Protect-It," "Risk Report," "Performance Report," "Trade Register," "Calculators," and "Maintenance." These options are
5 discussed further below.

Within the account manager module, a user is able to add new accounts and delete existing accounts. The user may maintain multiple accounts and/or multiple portfolios. The user may add funds to an account and transfer funds between
10 accounts. The user may transfer instruments between accounts of similar type. The user may select one account or one portfolio as the default for all subsequent operations. The default account and portfolio may be changed at any time. The user may update all accounts and
15 receive alerts on all securities for all accounts at all times. All the currencies for the account or portfolio are displayed in the currency of the account or portfolio, except for stock currencies, which are displayed in the currency of the stock.

To set up an account, the user provides a text string for identification purposes and a text string that better describes what the account is about. The user then selects the type of account, such as stocks/mutual funds, stock options, futures, futures options, or another type, such as
20 bonds. The system selects the base currency as the default currency previously selected. The system requests the name of the broker being used for the account. The user next inputs current funds available (debit if on margin) in the
25 account. The system requests validation of whether the account is a sample account or a user-defined account. The
30 system also requests whether this account should be the

default account for subsequent operations. The user may select up to three indexes, such as the Standard & Poor's 500 Index, against which account performance can be compared. Finally, the user inputs the margin the user has
5 on the account. For example, a value of 50 indicates a 50% margin account. A value of 0 indicates a cash account.

To set up a portfolio, the user inputs a text string for identification purposes and a text string that better describes what the portfolio is about. The system selects
10 the base currency as the default currency previously selected. The system also requests whether this account should be the default account for subsequent operations. The user may select up to three indexes, such as the Standard & Poor's 500 Index or the Russell 2000 Index,
15 against which account performance can be compared. Referring to Fig. 7, the system is also able to update prices in the portfolio. Figs. 25 and 26 illustrate exemplary display screens for setting up and maintaining accounts and portfolios.

20 Once a user has determined what security in which to invest, the user chooses a sizing module 52, denominated "Size-It" herein for identification purposes. The sizing module provides the user with the tools to help answer how much of a particular security to buy or sell. This question
25 can be reformulated as how much risk to which the user should be exposed.

Order sizing can be performed for equities, futures, or other types of instruments. User defined symbols (private symbols, for example, for instruments such as
30 bonds) may also be sized with appropriate user inputs. It is not necessary for the user to select an account or

portfolio for an order to be sized. However, more relevant results are obtained when the order is sized in relation to an existing account or portfolio. If the user selects an account, all calculations happen after converting the instrument's currency to the user's account currency. If the user has not selected an account, all calculations happen after converting the instrument's currency to the user's base currency.

The system may present average and sophisticated investors with differing complexities of user interface. A simpler user interface has fewer mandatory input fields and displays results in a simpler format. The system also provides the user with the ability to shift between the two interfaces.

Referring to Fig. 8, upon initialization, step 54, of the sizing module, the system updates prices and the user's equity. The system requires a user's equity at hand for calculating the buying power and for sizing different risk scenarios. For stock sizing, the equity is in the currency of the stock, and therefore this becomes currency (Fx) independent. For futures, the instrument's sizing is dependent on the currency per tick, and therefore is currency dependent. For registered users, the equity is picked up from the account or portfolio on which sizing is being performed. The system displays certain portfolio risk characteristics, step 56, discussed further below.

The user enters certain data and information, step 58, before the system can calculate a risk scenario. Preferably, the user enters the required data and information into input fields in a window such as that shown in Fig. 9. The user enters the type of security,

stock/mutual fund (MF), future, option, or another desired type. Also, the user selects one of long or short for stock or mutual fund shares or option contracts and buy (long) or sell (short) for futures contracts. Access to a symbol look-up table is provided in which the user may find a particular stock, mutual fund, stock option, futures, or futures option. The user may also input the symbol directly. Once a symbol is selected, the system automatically fills in the name corresponding to that symbol. The current market price of the security is automatically retrieved. The currency is in the currency of the country where the symbol is listed. In case of other types of instruments, the user enters the price manually only if the price for that symbol has not been entered in a private list.

The user enters a selected stop-loss price. The stop-loss price, also referred to as the stop price or stop, is the price at which a user sells a losing position. A stop-loss price or point may be figured in several ways, such as volatility, chart points, percent retracement in price, and moving averages. For example, if the user is comfortable seeing a stock go down by only 20% from its current price, the user enters the price at this level. This sets the user's stop and provides for a measurement of risk, discussed further below. If no stop price is entered, the default stop price is 25% of the current market price. Another default stop price could, of course, be set. The currency of the price is in the currency of the country where the symbol is listed.

The user also enters the skid or slippage amount that is anticipated in the transaction once the order is

executed. If no skid is entered, the default skid is 5% of the current market price. Another default skid could, of course, be set. The currency of the price is in the currency of the country where the symbol is listed. The more liquid and the smaller the order is, relative to the securities trading volume, the less is the skid that can be expected. Also, the less obvious the stop price chosen, relative to the securities chart pattern and/or the less volatile the market, the less the skid that can be expected. Skid may also be affected, for example, by news reports, earnings and crop reports, obvious support and resistance chart points, and catastrophic events.

The user enters the commission per share or contract to be paid to the broker/dealer or futures commodity merchant for the transaction. This amount should be inclusive of all exchange handling fees and government taxes and fees. For example, if the commission is \$50.00 for 1,000 shares of stock, the user enters 0.05 cents a share. For futures and options, the broker/dealer or futures commodity merchant can provide an inclusive per-contract amount.

When trading options, the user selects the codes for put or call and for the expiry month, or the user directly enters the symbol with the codes manually. The symbol remains the same until expiration or exercise of the option. For a futures contract, the user selects the month code or directly enters the symbol with the codes manually.

Futures gearing is shown to the user if the futures symbol is listed within the system. It is defaulted to the product of Fx/tic and tics per point for that future. The currency shown is in the currency of the future. If the

future is not listed within the system, the user is prompted to enter the Fx/tic, the tics/point, the spec margin, and the customer margin (defaulted to the spec margin value unless the user inputs a different one) for that future.

The user also enters the estimated buying power. The user should consult with the broker/dealer and futures commodity merchant to accurately determine the buying power for the stock account and the withdrawable funds and margin requirement for the futures account. The user also enters the amount of cash available for the purchase of securities.

As discussed above in accordance with step 56, the system provides the user with an overview risk of the entire portfolio. The system uses the following macro-risk assumption formula, which is determined for each instrument:

$$\text{planned risk} = (\text{MP} - \text{SL} + \text{C} + \text{SKID}) \times \text{NS},$$

where

MP = market price,
SL = stop-loss price,
C = commission in and out,
SKID = skid, and
NS = number of shares or contracts.

The system determines the user's total equity minus the sum of the planned risks for each instrument in the entire portfolio. This value is displayed for the user, for example, in the "Equity-Planned Risk" field in Fig. 9. The system also determines the user's risk/equity percentage, which is the sum of the planned risks for each instrument in the entire portfolio divided by the equity of the

portfolio. This value is displayed as a percentage to the user, for example, in the "R/E" field in Fig. 9. The system also determines the user's risk to an existing position in the security under consideration, which is the sum of the existing risk related to the security in the portfolio divided by the equity of the entire portfolio. If the user does not presently own the security under consideration, this value is 0. This value is displayed to the user, for example, in the "Risk to Position" field in Fig. 9. The system also displays for the user the current buying power and available cash.

After the user enters the required data for the security under consideration, the system determines several risk characteristics and several risk scenarios, step 60, which are displayed for the user in a screen, Fig. 9. The system determines the point risk, which is the planned risk per share. The point risk is the difference between the price and the stop in the currency of the stock plus the skid plus commissions (long or buy):

$$\text{point risk} = \text{MP} - \text{SL} + \text{C} + \text{SKID}.$$

For short sales, the formula is the converse:

$$\text{point risk} = \text{MP} + \text{SL} - \text{C} - \text{SKID}.$$

Referring to Fig. 9, various risk scenarios are displayed in a montage within the window. The scenarios are calculated for various increments of risk within the specified range of risk bearing capacity selected by the user. As noted above, the default range is 0.25% to 5.00%. The scenarios are determined for risk increments of, for example, 0.25%, which are displayed under the column headed "Size %Risk." The risk increments may be variable. The size %risk range and incremental value(s) may be selected by the

user. For each size %risk, a number of shares corresponding to that size %risk is calculated by multiplying the size %risk by the value of equity minus planned risk divided by the point risk. These values are displayed under the column headed "Shares." For example, for a size risk of 5.00%, a point risk of 19.681 and a value of equity minus planned risk of \$61,970.05, the number of shares to purchase is 157.

The new risk/equity is the sum of the risk of the entire portfolio plus the amount of additional risk, the size %risk (for example, 5.00%) that would be added by the transaction, for example, by purchasing the security under consideration. The size %risk is the percent of the total portfolio that would be at risk after the transaction for the given point risk. For example, for a portfolio with an existing risk/equity of 1.43%, a purchase having a size risk of 5.00% increases the risk/equity to 6.43%.

In the montage, the system displays for the user the number of shares (or contracts) corresponding to a given size risk. The system also displays the market value of the transaction, which is the number of shares multiplied by the security price. For futures and options, the system includes an additional gearing mechanism (not shown). The system also determines the buying power that the user will have after the transaction occurs, which is the cost of the transaction subtracted from the existing buying power.

Figs. 22-24 illustrate an example of code suitable for performing the above risk calculations. Fig. 22 shows a code block that contains the core risk calculations used in the present system. This functionality may be called differently by different parts of the system depending on

the context (totaling everything, totaling just stocks, futures, options, or just looking at a single position). Fig. 23 shows a code block that churns through the database evaluating all entries of the conditional type. Fig. 24 shows a code block that computes total market value and total risk of all the conditional elements, building on what was tallied in the code block of Fig. 23.

Given the various risk scenarios displayed by the sizing module, the user may decide whether to buy or sell the security and, if so, how much of that security to buy or sell. If the user decides to buy or sell the security, the user selects the trading module 70, denominated "Trade-It" herein. See Fig. 10. The user can access the trading module from the main screen or from the sizing module screen. The trading module updates any information in an initialization step 72.

The trading module provides a screen (Fig. 11) in which the user enters or updates the necessary information, step 74. The information includes the trade date, the type of security (stock/mutual fund, future, or option), the transaction type (buy, sell, sell short, buy to cover), the symbol, the month and strike price for futures and options, the number of shares or contracts, the price of the transaction, the stop-loss price, the alert limit price, the stop expiration date, and the broker used, the commission paid per share or contract.

The trading screen also provides the user with a summary of the existing portfolio, step 76. The system is able to display the existing portfolio positions and stops and the planned risk to equity represented by the contemplated transaction for this trade and for the entire

position. The system also displays the current estimated buying power and the estimated buying power after the contemplated transaction. The system also displays the current planned portfolio risk. If the trading screen is accessed directly from the screen for sizing an order, step 78, the input fields in the trading screen default to the scenario selected in the sizing screen.

Upon entry of the user's information, the system generates an "order ticket." The user must contact his/her broker/dealer to execute the trade. The user should then record the trade upon receipt of the trade confirmation from the broker. The order ticket lists the settlement date, which is generally the trade date plus three days for stocks, and the trade date plus one day for futures and options, accounting for holidays. The system also determines the actual expense for the transaction. The system allows the user to submit the order ticket for recording after the appropriate information has been entered, or to cancel the transaction before submitting an order ticket, step 80.

The system also includes a tracking module 90, denominated "Track-It" herein, that provides the user with the ability to track the user's portfolio. See Fig. 12. Upon initialization, step 92, the tracking module updates price and equity information. The tracking module provides a screen (Fig. 13) that summarizes the status of the user's portfolio. In step 94, this screen displays the total equity, equity minus planned risk for the portfolio, the user's estimated buying power, and the user's available cash. The user is able to select various options after viewing the tracking module information, step 96.

The tracking screen also provides a chart or grid listing each security owned. For each security, the system lists the symbol, the number of shares or contracts, the cost basis (for example, by averaging all lots on a first in, first out basis, accounting for in and out commissions), the last price for the security, the stop price entered on the order ticket or after subsequent adjustment, the planned risk for the position divided by the portfolio's total equity, the total dollar risk of the position factoring in the planned stop and the last sale of the security, the market value (amount of shares multiplied by the last sale price), and the weighted percentage gain or loss that the position maintains. The gain or loss may be shown in percentage and in absolute dollar terms.

All securities with the same symbol, the same stop, and belonging to the same account are aggregated to show a single record. The cost basis shown is the sum of the aggregated lots. If the user is viewing positions in an account, the user may adjust stops and alarms and alerts on various positions. For a particular lot (aggregated or not), the user may adjust the stop for either the entire lot or for part of the lot. In this case, the aggregated position will be displayed as two positions, because they will have different stop values. If a stop price is adjusted, the alert price is automatically changed to the stop price. The user, however, may change the alert price, preferably by a drill down to source the account wherein the instrument is located.

The user may update the last sale price for a security manually. Alternatively, the system is able to obtain

updated sale prices automatically from sources accessed via the Internet or another network.

5 The system includes a protection module 110, denominated "Protect-It" herein, that allows the user to track and adjust the stop-loss price at any time, not simply upon submitting a trade. See Fig. 14. Upon initialization, step 112, the module updates price and equity data. The protection module displays, in step 114, a stop worksheet or screen (Fig. 15) that lists each position, its sell or buy stop as appropriate, and an expiration date for the stop. The user may update information, in step 116. For each stop, the user may input an expiration date, may indicate that the stop is a firm order until the user cancels it, and set the trading session to which the stop should be assigned, such as a regular exchange trading session or all global sessions around the world. The user may enter a broker for the account containing the position, or may indicate that the stop is to be a mental stop. The system may display both actual and proposed positions that a user may create within the context of an active account or portfolio.

10 15 20 25 30 The system includes a report module 48 that creates various reports. The module generates a risk report that quantifies a portfolio's overall planned risk in a format readily accessible to the user, preferably in a single screen or window (Fig. 16). The risk report allows the user to see the risk with each account or portfolio for each instrument type. For portfolios, instruments of similar types are typically aggregated. For example, one record is shown for the risk associated with all equities, one record is shown for the risk associated with all futures, and so

on. Referring to Fig. 16, the risk report displays equity minus risk, planned risk, planned risk divided by total equity and portfolio total equity. Links may be provided to view the risk reports of each of the accounts in that portfolio.

The report also displays the user's estimated buying power and a trade date cash balance in the equity portfolio. For a futures account, the system displays an amount of withdrawable funds and a prior day's ending balance. These values may be obtained from the user's futures broker or margin clerk and updated manually by the user when received.

The system is also capable of generating a performance report over a selected period of time, such as on a daily, weekly, monthly, quarterly, or yearly basis. This report may be viewed for an account or for a portfolio. Associated indexes may also be tracked for comparison. Simple moving averages over suitable time periods, such as ten, twenty-one, fifty, and 200 days, are also provided. The system is also capable of graphing the performance (Fig. 17), using either arithmetic or logarithmic scaling. In the preferred embodiment, performance reports utilize the VAMI (daily (period) rate of change method) to generate equity normalized graphs for the accounts and portfolios equity as well as the index comparisons.

The system provides an alerts and alarms module that notifies the user upon the occurrence of certain events. As used in the present system, an alert is a notification of an instrument moving through its stop price, and an alarm is a notification of other events, such as the passing of expiration dates of stops or when a

preselected price level is reached for a particular security. Receiving an alarm or alert enables the user to take prompt action, such as selling an instrument that has reached it stop, purchasing an instrument that has reached a certain limit price, or adjusting stops that have expired. The alert and alarm module may be accessed through protection or tracking modules.

For example, the system is able to send an alert to the user upon expiration of a stop. The system also sends an alert when a preselected price level is reached for a particular security. The user can set upper and lower limit alarms. If the last sale price touches the lower limit or moves below it, or if the last sale touches the upper limit or moves above it, the system automatically sends an alert to the user.

Other alerts or alarms or messages may be provided. For example, the user may receive information regarding stock splits, brokerage house merges, stock merges or consolidation and futures gearing adjustments.

In a calculator and tools module 130, the system provides the user access to various decision support tools. Typically, the system provides a stock options calculator, a futures calculator, and an index calculator.

The system's options calculator (Fig. 18) allows the user to calculate theoretical value, implied volatility, and other pertinent values used when investing in options. These calculations help the user form a judgment on whether the option is overpriced or underpriced and several significant values that effect an option's pricing.

Referring also to Fig. 8, in step 134, the option calculator (Fig. 18) can be called from the sizing module

132. The system provides the option type (stock, future, currency, or index) and symbol, the market price (for example, spot price for stock), and the exercise or strike price. The system also provides the maturity or number of days until the option may be exercised. The system preferably automatically calculates the day (the third Friday of the month expiration date) based on the entered month and year. These values may be obtained from an outside data provider. The user is also able to manually override them.

The system user also provides the simple risk-free interest rate for the period. This rate is typically a T-bill rate, and may be entered directly by the user or obtained as a default value from a T-bill rate table for the appropriate country. This rate is defined as the risk free interest the user will receive for the amount for the period between the current date and the exercise date.

The system provides a forecast for the price volatility of the security, or the volatility of the underlying stock may be obtained from a data service provider. If implied volatility is to be calculated, the system also provides the actual market price of the option. This value may also be defaulted for options on global securities from a data service provider. The user is able to override these values if desired.

The system may also provide dividends (date paid and amount), if the user would like to adjust the results to account for dividends that will be paid during the period until maturity. The system takes these future cash flows and adjusts them to a present value, which is utilized in developing the theoretical value of the option. The system

uses the adjusted Black-Scholes formula, which requires entry of the number of days until the last dividend is paid. It will be appreciated that other formulas, such as Dodge and Cox, may be used.

5 Upon entry of the required data, the system determines and displays, in steps 136 and 138, the theoretical price, implied volatility and all other "Greek" calculations of the put or call option (Delta, Gamma, Vega, Theta, and Rho). For index options, the system includes a worksheet
10 for maintaining data relating to the securities in and the index divisor associated with the index of interest.

 The calculator and tools module 130 also provides a futures calculator that allows the user to evaluate the theoretical value of a futures contract. The user inputs
15 the symbol of the future, the futures month code for the futures contract, the current spot market price of the cash market underlying the futures, and the T-bill rate as the risk free interest rate the user receives for the amount
20 for the period between the current date and the exercise date. This last value may be defaulted from the T-bill rate table for the appropriate country. The user is then able to view the theoretical price for a given future and its maturity month.

 The calculator and tools module 130 also provides an
25 index options calculator. This calculator calculates theoretical value, implied volatility, and the Greeks (Delta, Gamma, Vega, Theta, and Rho) for a given index. These calculations help a user judge whether the option is overpriced or underpriced and provide several values that
30 effect an option's pricing. The user enters the index symbol, the option codes, whether for a call or a put, the

exercise month and the strike price. The index name may be entered automatically from a data service provider or the user may select the name from an index list. The price divisor for the index is typically defaulted from a data service provider or the exchange directly, but the user may change it. The index price (spot market) is the current market price of the underlying cash (spot) index. This value may be defaulted from a data service provided. The T-bill rate is the risk free interest rate the user will receive for the amount for the period between the current date and the exercise date. This value may be defaulted from the T-bill rate table for the appropriate country. The volatility of the security may be obtained from a data service provider. Similarly, the market price of the option is defaulted for the index options provided by a data provider. Optionally, the use may change this value or enter a new one.

The system includes other useful tools, such as a symbol look up table to look up stock/mutual fund, stock option, futures, and futures option symbols that are traded in local as well as international exchanges. The system provides the capability to obtain real time price quotes for symbols listed on local and international exchanges from a data service provider. Users may also watch certain stocks and track stops without setting up an account for those stocks.

The system also provides a broker look up table, a currency conversion table, futures gearing listed in relevant exchanges, the risk free 30-day bill rate for a particular country, and holiday lists for exchanges in a particular country. Users are able to maintain a list of

private symbols, in which the user transacts, such as bonds.

The system provides other functionalities as well. For example, the system is capable of displaying a trade register or blotter 140, which provides a centralized data collection for daily transactions. See Figs. 19 and 20. The user may move forward or backward one day at a time or may enter a date to jump directly to that date. A trade date drop down menu may be provided to allow the user to select from all of the dates on which a trade occurred.

The system is capable of displaying information in other formats as well. For example, the user may select a period of time over which to view transactions. The user may filter by specific securities, size risk, brokers, or SIC code. The user may select one or more accounts to view. The user can select sorting criteria for the transactions shown on the basis of date, account, broker, symbol or size.

The system may also provide educational content. For example, the system may include multimedia presentations of terminology, concepts and strategies; Frequently Asked Questions (FAQs); and forms-based, context-sensitive tool-tip-like hints. The system may also provide the facility for moderated chats. Users may receive help regarding usage of the system in chat sessions. In addition, users may also chat among themselves.

On completion of the registration process, registered users may be set up with "private" sample accounts, one each for equities, futures, and other instruments, such as bonds and mortgages. A sample portfolio, which is a combination of the above accounts, may also be set up. The

sample accounts provide the user with "experimental" material that complements the information in on-line tutorials and serves as a learning tool. Users may perform transactions, such as sizing, alerts, and reports, on the sample accounts and portfolio. However, these transactions are not persistent. The contents of the sample accounts and portfolio match the content in the educational material.

Referring to Fig. 21, in the client/server context, maintenance services are preformed to maintain information. The various maintenance tasks include managing a broker list, stock splits, symbol changes, system schedules, users, holiday lists for various countries, broker consolidations, T-bill rates, currency exchange rates, futures gearing, equity runs, and login administration. Figs. 27, 28, and 29 illustrate various exemplary screens that provide editing and maintenance functionalities.

Those skilled in the art should readily appreciate that the programs defining the functions and modules of the present invention can be delivered to a computer in many forms, including, but not limited to: (a) application service program via the World Wide Web; (b) information permanently stored on non-writable storage media (for example, read only memory devices within a computer such as ROM or CD-ROM disks readable by a computer I/O attachment); (c) information alterably stored on writable storage media (for example, floppy disks and hard drives); or (d) information conveyed to a computer through communication media for example using baseband signaling or broadband signaling techniques, including carrier wave signaling techniques, such as over computer or telephone networks via a modem. In addition, while the invention may be embodied

in computer software, the functions necessary to implement the invention may alternatively be embodied in part or in whole using hardware components such as Application Specific Integrated Circuits or other hardware, or some
5 combination of hardware components and software.

While the invention is described through the above exemplary embodiments, it will be understood by those of ordinary skill in the art that modification to and variation of the illustrated embodiments may be made
10 without departing from the inventive concepts herein discloses. Specifically, while the preferred embodiments are discloses with reference to use within a client/server context, the present invention is generally applicable to any other context, such as a stand along application.
15 Moreover, while the preferred embodiments are described in connection with various illustrative data structures, one skilled in the art will recognize that the system may be embodied using a variety of specific data structures. Accordingly, the invention is not to be limited by what has
20 been particularly shown and described, except as indicated by the appended claims.